

AVerAI EN713-AAE9 Box PC

EN713-AAE9-1PC0 Box PC provides 1x GbE and 8x 10/100 MbE with PoE (PSE)

It fully supports NVIDIA® Jetson Nano™



AIoT, Home Robot, Smart Retail, Surveillance

Description

AVerMedia's AVerAI EN713-AAE9-1PC0 Box PC of NVIDIA® Jetson Nano™ is designed as an A.I. NVR (Network Video Recorder) for intelligent surveillance system.

This product provides 8-channel PoE (PSE) ports for IP cameras, a SATA port for storage, 1x mPCIe, 2x USB 3.0, 1x microphone input, 1x speaker output, 1x RS-485 and 20-pin expansion header (I2C, SPI, UART, I2S), 1x HDMI 2.0 out.

Benefiting from the Jetson Nano™ and DeepStream SDK, it can simultaneously decode and analyze 8-channel 1080p30 IP camera videos.

By using AVerCooler WaveFin technology, the latest edge computing module, NVIDIA® Jetson Nano™, EN713-AAE9-1PC0 can operate in the environment up to 50°C without airflow.

AVerAI EN713-AAE9-1PC0 Box PC is designed as an application ready platform for multiple applications to improve the performance, flexibility and time to market. With EN713-AAE9-1PC0, software developers not only can deploy their deep learning software on this system but also can market their software in a Box PC as a complete solution. This can greatly help simplify the efforts and processes of the system integration in launching their A.I. solution into the market faster.

Features

- Fully support NVIDIA® Jetson Nano™
- 8x 10/100 MbE with PoE
- 1x GbE, 2x USB 3.0, 1x 4Kp60 HDMI output
- 20 pins with 1x UART, 2x I2C
- 1x RS-485 (3 pins), 1x Micro-B USB 2.0 for recovery
- 1x mPCIe (Host Interface: USB 2.0)
- Operating temperature: 0°C ~ 50°C with No-Air-Flow
- Compact fanless chassis with AVerCooler technology

Embedded Vision Solutions for NVIDIA Jetson

AVerMedia offers 5 categories of Embedded Vision Solutions for deep learning application on the edge devices, with the support of battery power and HDMI/VGA/3G-SDI/Composite video sources and the direct technical support for developers.

- Standard and customized TK1 modules and carrier boards
- Standard and customized TX1/TX2/TX2i/AGX Xavier/Nano carrier boards
- Standard and customized TK1 single boards
- Standard and customized TK1 and TX1/TX2/TX2i/AGX Xavier/Nano application-ready systems
- Software design service of Linux BSP, driver, OpenCV, VisionWorks, and cuDNN.

Why AVerMedia

- Innovative, patented passive cooling thermal designs for No-Air-Flow environment: AVerCooler, WaveFin, and Surfax.
- Full customization ability with our in-house HW and SW development teams.
- Timely support from NVIDIA® as we are a NVIDIA® Jetson Preferred Partner.
- Stable supply as we are a financially sound company.

AVerAI EN713-AAE9 Box PC

EN713-AAE9-1PC0 Box PC provides 1x GbE and 8x 10/100 MbE with PoE (PSE)

It fully supports NVIDIA® Jetson Nano™

Specifications

Type	Box PC
NVIDIA GPU SoC Module Compatibility	NVIDIA® Jetson Nano™
Networking	1x GbE RJ-45 8x 10/100 MbE RJ-45 with PoE (Max for the first 4 ports is 15.4W and total power budget is 90W)
Display Output	1x HDMI 2.0a/b Type-A supports maximum resolution 3840x2160 at 60Hz
Temperature	Operating Temperature 0°C ~ 50°C Storage Temperature -40°C ~ 85°C Relative Humidity 40 °C @ 95%, Non-Condensing
USB	1x USB 2.0 Micro-B for recovery 2x USB 3.0 Type-A (USB 3.2 Gen1 x 1)
Storage	16GB e.MMC v5.1
GPIO Expansion	1x 3.3V UART, 2x I2C, 5x GPIOs
CAN Bus	N/A
User Expansion	1x mPCIe (Host Interface: USB 2.0)
Input Power	54V/2.78A
Buttons	Power and Recovery Button (each with a RGB tri-color LED)
RTC Battery	Support RTC battery and Battery Life Monitoring by MCU
Chassis Dimension/ WeightInfo	W:212mm x L:196mm x H:60mm (W:226 mm with mounting ears) Weight: 2.75 Kg
Certifications	CE, FCC

* All specifications are subject to change without prior notice.



R-R-AVM-
EN713-AAE9

R-R-AVM- EN713-AAE9

MSIP Class A Statement (Korea)

사용자안내문

이 기기는 업무용 환경에¼- 사용할 목적으로 적합성평가를 받은 기기므로¼- 가정용 환경에¼- 사용하는 경우 전파간섭의 우려가 있습니다.

This equipment has been tested for compliance with the intended use in a commercial environment. If the equipment is used in a domestic environment, it may cause radio interference.

※ 사용자 안내문은 "업무용 방송통신기자재"에만 적용한다.

※ User's Guide applies only to "Commercial Broadcasting Communication Equipment".

©2019 by AVerMedia Technologies, Inc. All rights reserved.

No part of this document may be reproduced or transmitted in any form, or by any means (Electronic, mechanical, photocopy, recording, or otherwise) without prior written permission of AVerMedia Technologies. Information in this document is subject to change without notice. Made in Taiwan

Version 1.1 2019/09/04

Type : Box PC
Model name : EN713-AAE9

